

Evolution of Convective Environment over South Florida During July 2002: A Meteorological Overview of CRYSTAL-FACE

Henry Selkirk, BAERI-NASA Ames

Leonhard Pfister, NASA-Ames

**with help from Marion Legg (ARC) and Eric
Nash (GSFC)**


Outline

- **Time curtain of Miami and Tampa Bay rawinsondes during July 2002**
- **Evolution of the upper level flow over the eastern continent and its relation to tropopause temperatures over Florida**
- **Animation of 1/2-hourly 12 μm IR imagery over South Florida with upper- (150 hPa) and low-level (925 hPa) winds**

Rawinsonde time histories


72202 MIAMI INTL AIRPORT
25.75°N 80.38°W Elev=5m

2002



72210 TAMPA BAY AREA
27.70°N 82.38°W Elev=13m

2002



Evolution of upper levels and trop T

QuickTime™ and a PNG decompressor are needed to see this picture.

Convection & flow

4 Jul - Cyclonic above, SWly
below

6 Jul - upr lvl weakening, SEly
below

10 Jul - strng oppsd upr & low
levels

11 Jul - upr lvl weakens, SWly
low

13 Jul - upr lvl Ely, low lvl SW

14 Jul - strg SEly abv, Wly
below

16 Jul - Ely abv, anticyclonic
below

17 Jul - anticyclonic develops
above

18 Jul - strong Nely flow above

21 Jul - anticyclonic abv, SElys
below

25 Jul - Ely flow above & below,
but weakening

26 Jul - weak above

28 Jul - Ely abv/blw again &
strengthening

QuickTime™ and a PNG decompressor are needed to see this picture.

Summary

- **July 2002 very wet AND very active convectively in Florida, and in the CRYSTAL-FACE area of operations in particular**
- **Flow directions above and below were variable, but deep convection developed almost every day over south Florida - solar heating coupled with tons of moisture is VERY compelling forcing, even mid-month with warmer, more stable mid-troposphere**
- **Tropopause temperature variability coherent on the large-scale and tied to changes in tropospheric thickness (i.e. mean temperature through the mid-troposphere) - mid-month warming lifted and cooled tropopause in middle of upper level anticyclone**
- **Movement of anvil systems tied to upper level wind**
- **Lightning was copious over land AND water, concentrated in developing cells**

Ongoing work

- **Preparation of met overview paper**
- **Collaboration with C-F modeling team (and others) in assessment of forecast model performance**
- **Convective influence studies in support of tracer and microphysical studies (Co-I L. Pfister and C-F colleagues)**

Thanks to Key West & Miami forecast crew and others

- Bill Frank, Rob Crawford, Katie Davison
 - Lenny Pfister
 - Pete Colarco
 - Ken Pickering and Gera Stenchikov
 - Leslie Lait
 - Karen Rosenlof and Adrian Tuck
-
- Pablo Santos, Robbie Berg and Ryan Ellis at NWS Miami
 - Chief Kontinos, Al Ceier and staff at US Navy, Key West
 - Jay Mace, Jennifer Comstock, Jim Mather and Kristin Larabee (PARSL/Key West)
 - NOAA Forecast Systems Lab, Boulder

Langley satellite group

- Pat Minnis, PI
- Louis Nguyen, Bill Smith, Jr and Dave Young, Co-Is
- Kirk Ayers, Dave Doelling, Pat Heck, Anita Rapp